

Grade					%Al	%Fe	%Si	Constituents								
Purity	AFNOR	ISO	AA/ASTM					Li%	Ni%	Cr%	Ti%	Zn%	Mg%	Mn%	Cu%	
High	A8	Al 99/84	P0610	Min	99.84	0.09	0.04	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.84	0.10	0.06	0.0005	0.0020	0.0015	0.0040	0.0040	0.0030	0.0003	0.0003	
				Average	99.84	0.10	0.05	0.0004	0.0017	0.0010	0.0040	0.0030	0.0020	0.0002	0.0002	
		Al 99/80	P1015	Min	99.75	0.10	0.04	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.84	0.15	0.10	0.0008	0.0045	0.0010	0.0070	0.0060	0.0050	0.0010	0.0006	
				Average	99.78	0.13	0.06	0.0005	0.0025	0.0010	0.0050	0.0030	0.0020	0.0006	0.0004	
	A7	Al 99/70	P1020	Min	99.70	0.14	0.04	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.77	0.20	0.10	0.0020	0.0050	0.0040	0.0070	0.0060	0.0050	0.0015	0.0015	
				Average	99.72	0.17	0.07	0.0005	0.0030	0.0010	0.0050	0.0030	0.0010	0.0008	0.0005	
Low	A6	Al 99/65	P1520	Min	99.65	0.14	0.06	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.73	0.20	0.15	0.0006	0.0060	0.0070	0.0070	0.0050	0.0040	0.0020	0.0010	
				Average	99.68	0.19	0.09	0.0005	0.0035	0.0020	0.0060	0.0030	0.0010	0.0015	0.0006	
	A5	Al 99/50	P1535	Min	99.50	0.19	0.05	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.71	0.35	0.15	0.0015	0.0100	0.0150	0.0100	0.0070	0.0050	0.0030	0.0040	
				Average	99.62	0.25	0.12	0.0005	0.0040	0.0010	0.0060	0.0030	0.0009	0.0010	0.0007	
	A4	Al 99/25	P2055	Min	99.26	0.16	0.07	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.64	0.55	0.20	0.0008	0.0100	0.0030	0.0080	0.0090	0.0040	0.0050	0.0070	
				Average	99.45	0.37	0.16	0.0005	0.0050	0.0010	0.0060	0.0030	0.0010	0.0020	0.0015	
	A3	Al 99/10	P2070	Min	99.11	0.53	0.08	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.29	0.70	0.20	0.0008	0.0100	0.0030	0.0070	0.0060	0.0030	0.0050	0.0050	
				Average	99.19	0.60	0.16	0.0005	0.0060	0.0020	0.0060	0.0030	0.0010	0.0030	0.0020	
	A2	Al 98/90	P2585	Min	98.90	0.23	0.11	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	99.52	0.85	0.25	0.0008	0.0150	0.0060	0.0090	0.0080	0.0040	0.0060	0.0100	
				Average	99.23	0.50	0.23	0.0005	0.0070	0.0020	0.0070	0.0030	0.0010	0.0040	0.0020	
	Off	A1	Al 99>	AB99	Min	99.01	0.19	0.26	0.0003	0.0040	0.0010	0.0050	0.0020	Trace	0.0015	0.0004
					Max	99.48	0.70	0.45	0.0007	0.0250	0.0070	0.0150	0.0100	0.0040	0.0060	0.0025
					Average	99.26	0.37	0.30	0.0005	0.0070	0.0020	0.0070	0.0040	0.0010	0.0030	0.0015
A0		Al 99>	AB98	Min	98.16	0.50	0.10	Trace	Trace	Trace	Trace	Trace	Trace	Trace		
				Max	98.99	1.50	0.65	0.0007	0.0150	0.0040	0.0150	0.0080	0.0050	0.0100	0.0040	
				Average	98.83	0.85	0.30	0.0005	0.0080	0.0030	0.0070	0.0030	0.0040	0.0050	0.0030	